



EXPORT CATALOGUE WHITELAND ORIGINAL ACCESSORIES

REL. NOVEMBER 2025

COLOR TABLE

- 1) The standard company colour of our equipment is blue RAL 5015 (\rightarrow /25).
- 2) On demand other colours are available (see RAL table)*.
- Below the table for the other colors:



- Different colors subject to confirmation of the Export dept.
- *: The equipment in different color than standard can be subject to surcharge.

The pictures included in the present illustraded catalogue, are only intended to show the product and are therefore not binding. The company reserves the right to make in every moment and without prior notice, any modification deemed necessary.

NEXION S.p.A. declines any responsibility for any complaint coming from the use of not original accessories or spares with consequent forfeiture of the CE conformity declaration.





TABLE OF CONTENTS

PRE-CHECK DRIVE-THROUGH	4
ICHECK 2GO	4
COMPULSORY ACCESSORIES FOR ICHECK	5
OPTIONAL ACCESSORIES FOR ICHECK	5
IPROFILE	5
OPTIONAL ACCESSORIES FOR IPROFILE STANDALONE	8
CAMERA WHEEL ALIGNERS	10
C2000 NÉOS	10
C 880 INEXT	11
C 880	12
C 880 W	13
C 880 INEXT DRIVE	14
COMPULSORY ACCESSORIES FOR C 880 INEXT DRIVE	15
OPTIONAL ACCESSORIES FOR CAMERA WHEEL ALIGNERS	16
CONVENTIONAL WHEEL ALIGNERS	30
C 500 1.1	30
C 500 1.1 ROAD TRUCK	31
OPTIONAL ACCESSORIES FOR C 500 1.1 ROAD TRUCK	32
C 400 INEXT	33
C 200 INEXT	34
C 200 ROAD	35
C 200 INEXT SMART	36
OPTIONAL ACCESSORIES FOR C 200 ROAD AND C 200 INEXT SMART	37
OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS	39
SOFTWARE UPGRADES FOR CONVENTIONAL AND CAMERA WHEEL ALIGNERS	54
UPGRADE TO ALIGNER DATA BANK	56
DIAGRAM OF PACKING SPECIFICATION	57
GENERAL SALE CONDITIONS	50





PRE-CHECK DRIVE-THROUGH



PN	Power Supply	Description	Price €
0-35101101/25	100-240Vac / 1 Ph / 50-60Hz	iCheck 2go Full Pack: includes central unit with cabinet, PC, keyboard, mouse, processing system, measuring platforms for recessed installation and traffic light.	19.848,00
0-35101201/25	100-240Vac / 1 Ph / 50-60Hz	iCheck 2go KIT: includes the processing system, measurement platforms for recessed installation and traffic light	18.270,00
8-35200003		Customization kit to be ordered with iCheck 2go: includes software, user manuals, customization items (compulsory)	227,00





OPTIONAL ACCESSORIES FOR iCHECK 2Go & iCHECK

PN	Picture	Description	Price €	CHECK 2 (ICHECK 3.5	ICHECK 3.5	ICHECK 3.5
8-34120000	27"	27" LCD monitor	549,00	•			
8-61200143		LCD monitor support	115,00	•			





OPTIONAL ACCESSORIES FOR iCHECK 2Go & iCHECK

PN	Picture	Description	Price €	ICHECK 2	CHECK 3	CHECK 3	CHECK 3
8-61200237		A4 colour inkjet printer unit	201,00	•			
8-35100086		Wireless remote control kit (with 2.4 GHz industrial radio)	443,00	•			
8-31100001		NEXREMOTE Basato su un tablet SAMSUNG, può essere utilizzato come comando a distanza e/o come schermo supplementare. Composto da: - 1 Tablet SAMSUNG + 1 Protezione in gomma - 1 Router WI-FI	856,00	•			
8-35100084		Ramp kit for floor installation	2.482,00	•			
8-21120005		USB inkjet printer kit. Available only for shipment from Italy	191,00		•	•	





PRE-CHECK DRIVE-THROUGH






















iPROFILE FULL PACK

IPROFILE FULL PACK

MODEL SUPPLIED WITH:

- -1 Profilometer
- -1 Cabinet
- -1 Electrical system interface between Profilometer and PC -1 64-Bit Windows 10 Embedded PC, license and recovery USB flash drive
- -1 Trackball mouse
- -1 USB printer
- -1 Operator's manual

iPROFILE

PN	Power Supply	Description	Price €
0-35100601/39	100-240V/1Ph/50-60Hz	iPROFILE - Standalone full pack for flush installation.	13.060,00
0-35100701	100-240V/1Ph/50-60Hz	iPROFILE Kit - Standalone electrical panel kit for flush installation	10.618,00
8-35200002		iPROFILE Standalone customization kit (compulsory).	369,00

7





	OPTIONAL ACCESS	SORIES FOR IPROFILE STANDALONE		PROFILE FULL	E KIT
PN	Picture	Description	Price €	iPROFIL	PROFILE KIT
8-35100021		Set of ramps for iPROFILE. Suitable for on-floor installation.	600,00	•	•
8-35100061		Management Package software: - Customer Database - Storage of all contact information of Customers. - Digital archive of the tests performed, with the possibility to retrieve tests. - Messaging system for customer-focused notifications. Direct contact with Customer through Whatsapp (it requires an Internet connection).	856,00	•	•
8-34120000	27 "	27" LCD monitor	549,00	•	•
8-21100234	22"	22" Widescreen LCD/LED monitor.	379,00	•	•

8





	OPTIONAL ACCESSORIES FOR IPROFILE STANDALONE Price Description Price Price Price Price				7	
PN	Picture	Description	Price €	PROFIL	TIN 3 II3O GGI	-
8-61200143		LCD monitor support.	115,00	•		
8-61200237		A4 colour inkjet printer set - USB connection.	201,00	-	•	•
8-33100078	District	Optical mouse kit.	44,00	-)







PN	Power Supply	Description	Price €
0-34103001/49	100-240Vac/1Ph/50-60Hz	C2000 Nèos FULL PACK : Four Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with measuring beam, column, PC, keyboard, mouse, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. LCD Display, printer, wheel clamps and turntables not included. NEW "ROC SMART" FUNCTION INCLUDED.	
8-34900089/25		Customization kit to be ordered with C2000 Nèos: alignment software, user manuals, customization items (compulsory)	369,00







C 880 iN=≥



MODEL SUPPLIED WITH:

- -1 Measuring beam
- -1 Column complete with PC and printer housing
- -1 PC (Windows License), keyboard, mouse (FP)
- -4 Targets
- -1 Set of holders for 4-point clamps with targets
- -1 Steering lock
- -1 Brake depressor
- -1 Operator's manual



PN Power Supply		Description	
0-34102201/36	115-230V/1PH/50-60Hz	C880 iNext Full Pack - Two 5-Megapixel digital camera for machine vision, NEW LIGHT TARGETS WITH ANTI-REFLECTIVE FILTER, SUITABLE FOR ANY WHEEL CLAMP. Provided with measuring beam, column, PC, keyboard, mouse, 4 hi-resolution light targets, steering wheel lock, brake depressor. LCD Display,printer, wheel clamps and turntables not included.	9.293,00
0-34102301/36	115-230V/1PH/50-60Hz	C880 iNext NO-PC - Features: Two 5-Megapixel digital camera for machine vision, NEW LIGHT TARGETS WITH ANTI-REFLECTIVE FILTER, SUITABLE FOR ANY WHEEL CLAMP. Provided with measuring beam, column, 4 hi-resolution light targets, steering wheel lock, brake depressor. LCD Display, wheel clamps, PC, printer, keyboard, mouse and turntables not included.	7.300,00
8-34900067/25		Customization kit: alignment software, user manuals, customization items (compulsory)	1.423,00











MODEL SUPPLIED WITH:

- -1 Measuring beam
- -1 Column complete with PC and printer housing
- -1 PC (Windows License), keyboard, mouse (FP)
- -4 Targets and 4 Clamps 10"-21"
- -4 Adaptor kit up to 26"
- -1 Pair of turntables with ROC adaptors
- -1 Set of holders for 4-point clamps with targets
- -1 Steering lock
- -1 Brake depressor
- -1 Operator's manual



C880 Kit configuration



C 880

PN	Power Supply	Description	Price €
0-34900311/25	115-230V/1Ph/50-60Hz	C 880 FP (Full Pack). DELIVERY AVAILABLE FROM CHINA ONLY	12.687,00
0-34900304/25 115-230V/1Ph/50-60Hz		C 880 (NO PC). DELIVERY AVAILABLE FROM CHINA ONLY	10.567,00
0-34900306/00		C 880 Kit. DELIVERY AVAILABLE FROM CHINA ONLY	9.600,00


















FROM CHINA ONLY

MODEL SUPPLIED WITH:

- -1 Measuring beam with special wall bracket
- -1 Wall mounting console with PC and printer housing
- -1 PC (Windows License), keyboard, mouse (FP)
- -4 Targets and 4 Clamps 10"-21"
- -4 Adaptor kit up to 26"
 -1 Pair of turntables with ROC adaptors
- -1 Steering lock
- -1 Brake depressor
- -1 Operator's manual



C880 W Kit configuration



C 880 W

PN	Power Supply	Description	Price €
0-34900319/25	115-230V/1Ph/50-60Hz	C 880 W FP (Wall installation) (Full Pack). DELIVERY AVAILABLE FROM CHINA ONLY	12.687,00
0-34900310/25 115-230V/1Ph/50-60Hz		C 880 W (Wall installation) (NO PC). DELIVERY AVAILABLE FROM CHINA ONLY	10.567,00
0-34900318		C 880 W Kit DELIVERY AVAILABLE FROM CHINA ONLY	9.598,00







C 880 INEXT DRIVE

PN	Power Supply	Description	Price €
0-34102401/25	115-230V/1PH/50-60Hz	C880 iNEXT Drive FULL PACK : Wheel aligner and precheck with two Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with camera measuring units, wheeled cabinet, PC, keyboard, mouse, 4 hi-resolution light targets with anti-reflective filter, steering wheel lock, brake depressor. LCD Display, printer, wheel clamps, turntables and side posts not included.	7.510,00
0-34102501/25	115-230V/1PH/50-60Hz	C880 iNEXT Drive NO-PC : Wheel aligner and precheck with two Hi-Q digital camera for machine vision, suitable for any wheel clamp. Provided with camera measuring units, wheeled cabinet, 4 hiresolution light targets with anti-reflective filter, steering wheel lock, brake depressor. PC, keyboard, mouse, LCD display, printer, wheel clamps, turntables and side posts not included.	5.615,00
8-34900083		Customization kit to be ordered with C880 iNEXT Drive: alignment software, user manuals, customization items (compulsory)	1.423,00





COMPULSORY ACCESSORIES FOR C 880 INEXT DRIVE

PN	Picture	Description	Price €
8-34900080		KIT LOW COLUMNS (1.000mm): for installation in pit or for precheck in acceptance. COMPULSORY (as an alternative to P/N 8-34900081)	566,00
8-34900081		KIT HIGH COLUMNS (2600 mm): for installation with hoist. Measurement and adjustment operations at fixed height. COMPULSORY (as an alternative to P/N 8-34900080)	848,00





	OPTIONAL ACCESSORII	ES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	C 880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-21120005		USB inkjet printer kit. Available only for shipment from Italy	191,00		•	•	•	•
8-34900079	of mater 15	USB inkjet printer kit. Not available for shipment from Italy	202,00		•	•	•	•
8-31600017		4-point clamp support brackets for wall installation (4 pcs).	135,00	•	•	•	•	•
8-61200237		A4 colour inkjet printer set - USB connection	201,00	•				
8-34900095/90		Shelf for printer Alternative mounting to the support for second LCD monitor. Mandatory if the printer is ordered.	192,00	•				
8-34900093		Secondary LCD display support	92,00	•				





	OPTIONAL A	ACCESSORIES FOR CAMERA WHEEL ALIGN	IERS	èos	EXT		AIL	C 880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-31600016	32	32" LCD monitor	1.101,00	•	•			•
8-34120000	27	Monitor 27" widescreen base.	549,00	•	•	•	•	•
8-21100234	2.2	Monitor LCD/LED 22" Widescreen.	379,00	•	•	•	•	•

17







	included X4 4x 4-points 11"-21" wheel clamps for cars X4 Kit of extenders to 26" for clamps code 8-34100020	S FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-34100022		4x 4-points 11"-21" wheel clamps for cars, with 26" extenders included	1.336,00		•			•
8-34100020	x4	4x 4-points 11"-21" wheel clamps for cars	1.174,00		•			•
8-34100021	2	Kit of extenders to 26" for clamps code 8-34100020	246,00		•			•
8-34900064		CM Camera Mover with wormgear 115-230V/1PH/50-60Hz	1.711,00		•			
8-33100050	6.	Steering wheel level	130,00	•	•	•	•	•





	OPTIONAL ACCESSORI	ES FOR CAMERA WHEEL ALIGNERS		èos	EXI		ALL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-34900059		CM - (Camera Mover) with wormgear 115-230V/1PH/50-60Hz DELIVERY AVAILABLE FROM CHINA ONLY	1.465,00			•		
8-33100189		ClampOnTyre: Quick, self-centring, ergonomic. Fixing to the wheel, without contact with the rim. The supplied jaws allow gripping on wheel diameters from 19" to 32". Wheel arch protection included. The code includes one clamp. REMARK: To use the ClampOnTyre with C880 iNEXT aligner it is mandatory to order kit 8:34100048	1.185,00	•	•			•
8-33100191		Set of extensions for vans: set for use with vans. Kit for one clamp. Accessory compatible with 8-33100189.	486,00	•	•			•
8-33100190		Set of XL extensions: for wheel diameter from 32" to 39". Kit for one clamp. Accessory compatible with 8-33100189.	486,00	•	•			•
8-33100202	म्मम	kit consisting of 4 thin upper jaws for clampontyre. kit for 4 clamps.	486,00	•	•			•
8-33100196		Fall protection steel cable kit for 4 clamps: includes 4 steel cables and mounting components. Accessory compatible with 8-33100189.	170,00	•	•			•





	OPTIONAL ACCESSORI	ES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	C 880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-33100197	X15	Wheel Rim Guard Kit: Plastic protection for very protruding rims. Accessory compatible with 8-33100189.	86,00	•	•			•
8-33100193		Clamp holder multi-purpose trolley and additional jaws. Accessory compatible with 8-33100189	1.242,00	•	•			•
8-33100192		Clamp holder set for wall mounting with support for additional jaws. Accessory compatible with 8-33100189.	407,00	•	•			•
8-33100195	DEGE DED X4	Set of 4 spacers for installation of kit 8-33100192 where ClampOnTyres are fitted with VAN extensions 8-33100191. Accessory compatible with 8-33100189.	308,00		•			
8-34900072/90		Aligner Trolley II: to use the wheel aligner in different working bays or in drive-thru mode	612,00	•	•	•		





	OPTIONAL ACCESSORII	ES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-34100032		Drive-On assistant : driving assistance camera for easy and correct positioning of the vehicle on the lift or in the workshop without the help of an assistant or mirrors.	520,00	•				
8-34900074/25		Trolley 2.0: trolley for wheel clamps and targets	351,00		•			•
8-34900018/25		Smart trolley for clamp & target holders (1 unit).	351,00			•	•	
8-34900036/25	IPA (Wheeled cabinet.	302,00		•	•	•	•
8-34900011		Complete Calibrator 2.0 for calibration and maintenance. Bar calibration procedure. NOTE: Only suitable for "A" version aligners.	1.438,00	•	•	•	•	•





	OPTIONAL ACCESSORIE	ES FOR CAMERA WHEEL ALIGNERS		èos	EX		ALL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-34900028		Single target "B" for calibration only. NOTE: Only suitable for "B" version aligners.	808,00			•	•	
8-34900021		Drive-On assistant One Camera system for easy vehicle positioning in the working bay.	238,00		•	•	•	
8-35100060		Universal radio remote control set. 2.4 GHz industrial radio frequency.	468,00	•	•	•	•	•
8-31100001		NEXREMOTE Based on a SAMSUNG tablet, can be used as a remote control and an additional screen. Comprising: -1 SAMSUNG Tablet + 1 Rubber protection cover1 Wi-Fi Router.	856,00	•	•	•	•	•





	OPTIONAL ACCESSORII	ES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-33100204	IEW!	Pair of alu mechanical car turntables with 4x roc adapters dimensions: 500 x 470 x 50 mm. disc diameter: 360 mm. max load: 3.000 kg. 4x roc spacers included	780,00		•	•	•	•
8-34900019		Pair of mechanical turntables with ROC push-mode (without wheel stop) Dimensions: 485x435x48,5 mm Load: 1000 Kg	734,00		•	•	•	•
8-34100052	X2	ROC push-mode kit - for turntables 8-34900019	103,00		•	•	•	•
8-34900041		Set of four STD double-profile claws.	190,00		•	•	•	•
8-33100039		Set of four double-profile claws - Suitable for PN. 8-33200060	197,00	•	•			•
8-33120000		Set of 4 SCC pins, suitable for: 8-33200038, 8-33200060, 8-33200063 and 8-33200064	135,00	•	•			•
8-33120001		kit of 4 resin coated double-profile claws for wheel clamps. One kit for one clamp.	246,00		•	•	•	•





	OPTIONAL ACCESSORI	ES FOR CAMERA WHEEL ALIGNERS		èos	inext		AIL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	N: 088 O	C 880	C 880 WALL	C 880 iN
8-34100049		kit of double profile (RACING RIM / IRON RIM) resin coated claws for wheel. clamps 8-34100020 and 8-34100022. Kit for ONE CLAMP: includes 4x resin coated claws.	240,00		•	•	•	•
8-34100051		kit of double profile (RACING RIM / IRON RIM) claws for wheel clamps 8-34100020 and 8-34100022. Kit for ONE CLAMP: includes 4x steel claws.	185,00		•	•	•	•
8-33120002		Kit of 4 resin coated/double-profile claws for wheel clamps code 8-33200060, 8-33200064 and 8-33200063. One kit for one clamp.	246,00	•	•			•
8-33120003		Kit of 4 resin coated/double-profile SCC claws for wheel clamps code 8-33200060, 8-33200064 and 8-33200063. One kit for one clamp.	246,00	•	•			•
8-33200060		Pair of 4-point clamps from 10" to 21"	848,00	•	•			•
8-34100029		Pair of 4-point clamps from 10" to 21" with resin coated/double-profile claws	1.089,00	•	•			•





	OPTIONAL ACCESSO	RIES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	C 880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-33200063		Extra light 4-point clamp from 10" to 26" with carbon inserts	734,00	•	•			•
8-33200066		Extra light 4-point clamp from 10" to 26" with carbon inserts and resin coated/double-profile claws	855,00	•	•			•
8-33100184		Wheel hook kit for 4-points clamps (kit for 4 clamps). Includes the 8-33100185 (Kit of 4 plastic pins type 1). Suitable for clamps 8-33200063, 8-33200066, 8-33200060 and 8-34100029.	1.986,00	•	•			•
8-33100185	0000	Kit of 4 plastic pins type 1 for P/N 8-33100184	54,00	•	•			•
8-33100186		Kit of 4 plastic pins type 2 for P/N 8-33100184	74,00	•	•			•
8-33100187		Kit of 4 plastic pins type 3 for P/N 8-33100184	74,00	•	•			•
8-33100100	1-4-4-	Extension set to 30".	412,00	•	•			•
8-33200027		Pair of 3-point manual quick clamps from 9" to 21". Supplied with short and outstanding profile rim claws.	1.711,00	•	•			•





	OPTIONAL ACCE	SSORIES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	C 880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	N 880 iN
8-33100026		Extension set to 28" - Suitable for PN. 8-33200027	420,00	•	•			•
803269218		Set of four 3-point automatic quick clamps from 10" to 20"	3.207,00	•	•			•
803289414		Set of 12 claws for Iveco Daily steel rims	286,00	•	•			•
8-33200003	letete letete	Set of 12 extensions to 22" for 3-point quick clamps	610,00	•	•			•
803284944	0000	Set of 12 short claws - Suitable for PN. 8-33200027 or 803269218	73,00	•	•			•
803284945		Set of 12 long claws (57 mm) - Suitable for PN. 8-33200027 or 803269218	73,00	•	•			•
803284946		Set of 12 shaped claws - Suitable for PN. 8-33200027 or 803269218	98,00	•	•			•





	OPTIONAL ACCE	SSORIES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-33200004	****	Set of 12 claws for outstanding profile rims	98,00	•	•			•
803284947	1311	Set of 12 extensions - Suitable for PN. 8-33200027 or 803269218	111,00	•	•			•
803284942	0 0 ==	Complete set of Mercedes and BMW adapters (25 pcs)	1.048,00	•	•			•
803284943	0000	Complete set of Porsche adapters (4+4 pcs.)	436,00	•	•			•
8-33200039	7000	Pair of wheel clamps self-centering and self ROC for Mercedes and BMW	2.069,00	•	•			•
8-33100204 N	EW!	Pair of alu mechanical car turntables with 4x roc adapters dimensions: 500 x 470 x 50 mm. disc diameter: 360 mm. max load: 3.000 kg. 4x roc spacers included	780,00		•	•	•	•
8-33100102		Pair of car mechanical turntables with ROC push-mode kit (Without wheel stop). 4x roc spacers included Dimensions: 400x450x50 mm - Ø 320 mm - Range: ± 40 mm. Load: 1000 kg.	974,00	•	•			•





	OPTIONAL ACCESSORI	ES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	C 880 INEXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 iN
8-33100103		Pair of wheel stops for tuntables PN. 8-33100102	76,00	•	•			•
804241069		Car mechanical turntable - H=53 mm	498,00	•	•			•
803259570		ROC push-mode kit (2 pcs.) for turntables PN. 803241069, 803227745, 8-33100102. MANDATORY FOR PRODUCTS USING THE "ROC SMART" FUNCTION.	133,00	•	•	•	•	•
803268866		Pair of car mechanical turntables - H=50 mm	594,00	•	•			•
8-33100111		ROC push-mode kit (2 pcs.) for turntables PN. 803268866	133,00	•	•			•
803227745		High profile car turntable H=35 mm	441,00	•	•			•
803227757		Short car slip plate to matching with turntable PN. 803227745	297,00	•	•			•





	OPTIONAL ACCESSOI	RIES FOR CAMERA WHEEL ALIGNERS		èos	EXT		ALL	EXT DRIVE
PN	Picture	Description	Price €	C2000 Nèos	C 880 INEXT	C 880	C 880 WALL	C 880 INEXT
803229274		Low profile car turntable H=26 mm	389,00	•	•			•
803231255		Long car slip plate	852,00	•	•			•
803254284		AMV 1925 device for cars with V.A.S. group MULTILINK suspensions	1.251,00	•	•			•
8-33100049		Toe pressure bar for Mercedes vehicles	168,00	•	•			•
8-35100059	And to the second secon	Portable induction heater.	5.371,00	•	•	•	•	•







C 500 1.1





MODEL SUPPLIED WITH:

- -1 Main unit on wheels
- -1 Set of 4 Radio measuring heads
- -1 PC with keyboard and optical mouse
- -1 Set of 4 emergency cables.
- -1 CD ROM with back-up program and passenger vehicles Data Bank.
- -1 Kit with AAP and AVP procedures
- -1 Radio module for control unit and Hardlock.
- -2 Battery set (4 + 4 pcs.) + 1 Battery recharger,
- -1 Steering wheel holder and 1 Pedal depressor
- -1 Operator's manual





C 500 1.1

PN	Power Supply	Description	Price €	
0-33217103/25	115-230V/1Ph/50-60Hz	C 500 1.1	13.787,00	









Portable professional wheel alignment with 8 sensors for light and heavy transport.



MODEL SUPPLIED WITH:

- -1 Carrying case
- -1 Set of 4 Radio measuring heads derived from C500 1.1
- -1 Battery set (4 pcs.) + 1 Battery recharger
- -1 Radio module for control unit and Hardlock
- -1 DVD with truck and car software.
- -1 Operator's manual.





C 500 1.1 ROAD TRUCK

PN	Power Supply	Description	Price €	
0-33225001	115-230V/1Ph/50-60Hz	C 500 1.1 Road Truck	10.176,00	





OPTIONAL ACCESSORIES FOR C 500 1.1 ROAD TRUCK

PN	Picture	Description	Price €		
8-33100161		LAPTOP PC with WINDOWS10.	1.504,00		
8-33100170		RUGGED laptop PC with Windows 10	4.840,00		







C400 ju=>=





MODEL SUPPLIED WITH:

- -1 Main unit on wheels
- -1 Set of 4 Radio measuring heads
- -1 Set of 4 emergency cables.
- -1 PC with keyboard
- -1 CD ROM with back-up program and passenger vehicles Data Bank.
- -1 Radio module for control unit and Hardlock
- -1 Steering wheel holder
- -1 Pedal depressor
- -1 Operator's manual

C 400 iNEXT











C 200 iN=XT






MODEL SUPPLIED WITH:

- -1 Main unit on wheels
- -1 Set of 4 Radio measuring heads with batteries and charging system.
- -1 PC with keyboard
- -1 Radio module for control unit and Hardlock.
- -1 DVD with back-up program and passenger vehicles Data Bank.
- -1 Steering wheel holder
- -1 Pedal depressor
- -1 Operator's manual

C 200 INEXT











C 200 ROAD

MODEL SUPPLIED WITH:

- -1 Case for measuring heads
- -1 Set of 4 Radio measuring heads with batteries and charging system.
- -1 "Road electric panel
- -1 Radio module for control unit and Hardlock.
- -1 CD with back-up program + SIM card.
- -1 Operator's manual





C 200 ROAD

PN	Power Supply	Description	Price €
0-39201501	115-230V/1Ph/50-60Hz	C 200 Road	7.880,00







C 200 j SMART





MODEL SUPPLIED WITH

- -1 Main unit
- -1 "Road electric panel
- -1 Radio module for control unit and Hardlock.
- -1 CD with back-up program + SIM card.
- -1 Steering wheel holder
- -1 Pedal depressor
- -1 Operator's manual





C 200 INEXT SMART

PN	Power Supply	Description	Price €
0-3311150101/39	100/240Vac - 1Ph - 50/60Hz	C200 iNext SMART Wheel aligner including 4 wireless sensors and "docking station " (equipped with charging stands, battery charger and brackets holder), steering wheel lock and depressor. Floor or wall fixing.	7.387,00
8-33100180		Compulsory customized kit for C200 Inext SMART including alignment software, user manuals, customizing items	371,00





OPTIONAL ACCESSORIES FOR C 200 ROAD AND C 200 INEXT SMART

PN	Picture	Description	Price €	C 200 R	C 200 ib
8-33100161		Laptop PC with Windows 10	1.504,00	•	•
8-33100170		RUGGED laptop PC with Windows 10	4.840,00	•	•
8-34100022	x4 x4	4x 4-points 11"-21" wheel clamps for cars, with 26" extenders included	1.336,00		•
8-34100020	×4	4x 4-points 11"-21" wheel clamps for cars	1.174,00		•
8-34100021	x4	Kit of extenders to 26" for clamps code 8-34100020	246,00		•





OPTIONAL ACCESSORIES FOR C 200 ROAD AND C 200 INEXT SMART		00 INEXT SMART	Road	iNext smart	
PN	Picture	Description	Price €	8	C 200 il
8-34900036/25		Wheeled cabinet	302,00	•	•





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS		NEXT	_	ZEXT	eries
PN	Picture	Description Price €	C 1000 INEXT	C 500 1.1	C 400 INEXT	C 200 series
8-31100001		NEXREMOTE Based on a SAMSUNG tablet, can be used as a remote control and an additional screen. Comprising: -1 SAMSUNG Tablet + 1 Rubber protection cover1 Wi-Fi Router.	•	•	•	•
8-33100174		Wi-Fi connection kit for INDUSTRY 4.0 133,00	•	•	•	•
8-34120000	27"	27" Basic Widescreen Monitor. 549,00	•			
8-21100234	22"	22" Widescreen LCD/LED monitor. 379,00		•	•	•
8-61200143		LCD monitor support. 115,00		•	•	•





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS Price Description Price Description			NEXT	series		
PN	Picture	Description	Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series
8-61200237		A4 colour inkjet printer set - USB connection.	201,00	•	•	•	•
8-33200063		Extra light 4-point clamp from 10" to 26" with carbon inserts, built-in spoiler adapter and double-profile claws. NOTE: suitable for passenger car and truck (with extension set PN. 8-33100100).	734,00	•	•	•	•
8-33200066		Extra light 4-point clamp from 10" to 26" with carbon inserts and resin coated/double-profile claws	855,00	•	•	•	•
8-33100100	7-7-7	Extension set to 30".	412,00	•	•	•	•





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS Picture Description Price € Description			eries		
PN	Picture	Description Price €	C 1000	C 500 1	C 400 i	C 200 series
8-331001 <i>57</i>		SPIDER CLAMP Set of 4 claws ideal solution not to touch the rim. Application in a few seconds. ROC procedure required. Suitable for PN. 8-33200063. NOTE: set for one clamp only.	•			
8-33100146		Quick wheel clamp 13" to 28" (for new rims or rims in good conditions); compensation kit; spacers for rounded rims included; spirit level included 612,00		•	•	•
8-33200064		Pair of 4-point clamps from 10" to 21" with sliding pin. 956,00	•	•	•	•
8-34100028		Pair of 4-point clamps from 10" to 21" with sliding pins and resin coated/double-profile claws 1.197,00	•	•	•	•





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS		FXF	eries		
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series
8-33200060		Pair of 4-point clamps from 10" to 21". 848,00	•	•	•	•
8-34100029		Pair of 4-point clamps from 10" to 21" with resin coated/double-profile claws	•	•	•	•
8-33120002		Kit of 4 resin coated/double-profile claws for wheel clamps code 8-33200060 and 8-33200063. One kit for one clamp.	•	•	•	•
8-33120003		Kit of 4 resin coated/double-profile SCC claws for wheel clamps code 8-33200060 and 8-33200063. One kit for one clamp.	•	•	•	•
8-33100039		Set of 4 double-profile claws. Suitable for: 803287985 (→ 2006) 8-33200060 and 8-33200064.	•	•	•	•

42





OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS Price Description Price Price		<u>-</u>	NEXT	eries		
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 s
8-33120000		Set of 4 SCC pins. Suitable for: 8-33200038, 8-33200060 and 8-33200064	•	•	•	•
8-34900045		Set of 4 elastic cords suitable for all clamp types. 27,00	•	•	•	•
803289779		Pair of heavy-duty 4-point clamps from 17,5" to 25".		•	•	
803258555		Set of 4 RACING claws - Suitable for PN. 803289779. NOTE: set for one clamp only.		•	•	
8-33200027		Set of 12 extensions to 23" for 3-point quick clamps, suitable for code 803268218 and code 8-33200027.	•	•	•	•

	OPTIONAL ACCES	SSORIES FOR CONVENTIONAL WHEEL ALIGNERS	i EXT	_	NEXT	eries
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series
8-33100026		Extension set to 28" - Suitable for PN. 8-33200027. NOTE: set for one clamp only.	•	•	•	•
803269218		Set of 4 3-point automatic quick clamps from 10" to 20". For ALU rims and well centered rims, "run out" compensation is not required. 3.207,00	•	•	•	•
803289414		Set of 12 claws for Iveco Daily steel rims. (Only used in combination with 3-point clamps PN. 8-33200027 or 803269218).	•	•	•	•
8-33200003		Set of 12 extensions to 22" for 3-point quick clamps. (Suitable for PN. 803269218).	•	•	•	•
803284944	: New or Modified Item	Set of 12 short claws. Suitable for PN. 8-33200027 or 803269218. Compatible accessory supplied as STANDARD. Compatible accessory supplied on REQUEST.		·	•	•

	OPTIONAL ACC	ESSORIES FOR CONVENTIONAL WHEEL ALIGNERS	İNEXT	- .	ZEXT	eries
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series
803284945		Set of 12 long claws (57 mm). Suitable for PN. 8-33200027 or 803269218.	•	•	•	•
803284946		Set of 12 shaped claws. Suitable for PN. 8-33200027 or 803269218.	•	•	•	•
8-33200004		Set of 12 claws for outstanding profile rims. Suitable for PN. 8-33200027 or 803269218.	•	•	•	•
803284947		Set of 12 extensions. Suitable for PN. 8-33200027 or 803269218.	•	•	•	•
803284942	0 0 0	Complete set of Mercedes and BMW adapters (25 pcs). (Only used in combination with 3-point clamps PN. 8-33200027 or 803269218).	•	•	•	•





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS N. Ricture Description Price 5			Ξ	NEXT	eries
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series
803284943		Complete set of Porsche adapters (4+4 pcs.). (Only used in combination with 3-point clamps PN. 8-33200027 or 803269218).	•	•	•	•
8-33200039		Pair of wheel clamps self-centering and self ROC for Mercedes and BMW. 2.069,00	•	•	•	•
8-33100051		Set of 4 self-centering wheel clamps - ROC skip for trucks "on the road". For ALU rims and well centered rims, "run out" compensation is not required.		•	•	
8-33100104	169	Set of 6 short spacers for PN. 8-33100051. To mounting the two rear clamps on axles without dual wheels. 652,00		•	•	
8-33100105		Set of 6 long spacers for PN. 8-33100051. To mounting the two rear clamps on axles without dual wheels.		•	•	





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS Price 6				eries		
PN	Picture	Description	Price €	C 1000	C 500 1.1	C 400 il	C 200 series
8-33100022		Pair of car professional selfcentering electronic turntables (valuminum casting). Dimensions 450x450x50 mm - Ø 345 mm Range ± 50 mm - Low friction < 5 Nm. Load 1000 kg	with encoder, 6.492,00	•	•	•	•
8-33100201		Pair of car professional selfcentering turntables (without end aluminum casting). Dimensions 450x450x50 mm - Ø 345 mm Range ± 50 mm - Low friction < 5 Nm. Load 1000 kg	5.600,00	•	•	•	•
803261967		Pair of car professional electronic turntables Dimensions: 450x450x50 mm. Ø 345 mm - Range: ± 50 mm Low friction < 5 Nm. Load: 1000 kg.	m. 4.567,0 0		•		
8-3310001 <i>7</i>		ROC push-mode kit (2 PCS) - professional turntable to be with 803261967, 8-33100022, 8-33100201.	e combined 133,00		•		
8-33100030		Set of 4 drive-on ramps for turntables PN. 803261967.	133,00		•		
8-33100204	NEW!	Pair of alu mechanical car turntables with 4x roc adapt dimensions: 500 x 470 x 50 mm. disc diameter: 360 mm. max load: 3.000 kg. 4x roc spacers included	rers 780,0 0	•	•	•	•
8-33100102		Pair of car mechanical turntables with ROC push-mode (Without wheel stop). Dimensions: 400x450x50 mm - Ø 32 Range: ± 40 mm. Load: 1000 kg. 4x roc spacers included	20 mm - 974,0 0	•	•	•	•
8-33100103		Pair of wheel stops for turntables PN. 8-33100102.	76,00	•	•	•	•





	OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS Picture Description Price Description Price Pri				ZEXT	eries	
PN	Picture	Description	Price €	C 1000	C 500 1	C 400 INEXT	C 200 series
804241069		Car mechanical turntable. Dimensions: 400x450x53 mm. Ø 320 mm - Range: ± 40 mm. Load: 1000 kg.	498,00	•	•	•	•
803259570		ROC push-mode kit (2 pcs.) for turntables PN. 803241069, 803227745, 8-33100102. Mandatory for products using the "roc smart" function.	133,00	•	•	•	•
803268866		Pair of car mechanical turntables with graduated scale. Dimensions: 375x305x50 mm. Ø 310 mm - Range: ± 35 mm. Load: 1000 kg.	594,00	•	•	•	•
8-33100111		ROC push-mode kit (2 pcs.) for turntables PN. 803268866.	133,00	•	•	•	•
803227745		High profile car turntable Dimensions: 400x450x36 mm. Ø 320 mm - Range: ± 40 mm. Load: 1000 kg.	441,00	•	•	•	•





OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS						
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series
803227757		Short car slip plate to matching with turntable PN. 803227745. Dimensions: 835x370x37 mm. Load: 1000 kg.	•	•	•	•
803229274		Low profile car turntable Dimensions: 400x450x26 mm. Ø 320 mm - Range: ± 40 mm Load: 1000 kg.	•	•	•	•
803231255		Long car slip plate Dimensions: 1732x535x25 mm. Load: 1000 kg.	•	•	•	•
803230950		Heavy-duty turntable for trucks. Dimensions: 450x450x24 mm. Ø 365 mm - Range: ± 45 mm. Load: 3000 kg		•	•	
8-33100203		Pair of truck mechanical turntables with graduated scale. Dimensions 470x410x51,5 mm - Ø 366 mm. Load 5000 kg. Rotation scale +/- 60 deg. Galvanised.		•	•	





OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS							eries
PN	Picture	Description	Price €	C 1000 INEXT	C 500 1.1	C 400 INEXT	C 200 series
8-33200010		Pair of spoiler adapters for cars.	590,00)	•	•	•
803289583		Pair of spoiler adapters for trucks.	673,00		•	•	
8-33200029		Trailer alignment kit.	1.840,00		•	•	
803254284		AMV 1925 device for cars with V.A.S. group MULTILINK suspe	ensions. 1.251,00	•	•	•	•
8-33200150		Calibration unit provided with the full scale inclinometers calibration of the full scale calibration of the aligners.	pration e string 1.098,00	,	•	•	•

50





OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS						
PN	Picture	Description Price €	C 1000 INEXT	C 500 1.1	C 400 INEXT	C 200 series
8-33100199		Full scale calibration kit for string aligners (to be used with 8-33200150). 359,00				
8-33200012		Connection cable from main unit to CCD heads L=16 mt. 279,00		•	•	
8-35100076		Pair of connection cables for electronic turntables L=16 mt. 931,00	•			
8-33100110		Set of 4 emergency cables. 62,00				•
8-33100049		Toe pressure bar for Mercedes vehicles. 168,00	•	•	•	•
8-33100078	Dis	Optical mouse kit. 44,00		-	•	•





OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS						eries
PN	Picture	Description Price €	C 1000 INEXT	C 500 1.1	C 400 INEXT	C 200 series
8-33100088		External device kit to recharge the batteries. 239,00			•	•
8-33100081		Pedal depressor. 38,00	•	•		-
8-33100082		Steering wheel holder. 97,00	•	•		•
8-35100060		Universal radio remote control set. 2.4 GHz industrial radio frequency. RADIO SYSTEM: USE IN ACCORDING TO THE LOCAL RULES.	•	•	•	•
8-34200005		Drive on assistant kit for C1000 iNext. 242,00	•			





OPTIONAL ACCESSORIES FOR CONVENTIONAL WHEEL ALIGNERS							
PN	Picture	Description Price €	C 1000	C 500 1.1	C 400 INEXT	C 200 series	
8-35100059	Alexo ABO	Portable induction heater. 5.371,00	•	•	•	•	
8-34100005		Service frame for calibration with ISO 9000 certificate. For Technical support Centres only. 7.138,00	•				
8-34100010		Complete calibrator frame For Technical support Centres only. Comprising: 1 Reference bar, 1 Glass target, 1 Support for target central position.	•				
8-34100009		Upgrade convertion kit for PN. 8-34100005 calibration frame. For Technical support Centres only.	•				
8-21100197		Complete tool kit For Technical support Centres only. The kit contains all the mechanics tools necessary to assist both wheel balancers currently in the catalogue and phased.	•	•	•	•	
8-33100050		Steering wheel level 130,00	•	•	•	•	





SOFTWARE UPGRADES FOR CONVENTIONAL AND CAMERA WHEEL ALIGNERS



Model	PN	Support type	Price €
C 1000 iNext - C 500 1.1 - C 400 iNext	8-33200024	Kit MBP (Mercedes Benz Procedure)	377,00
C 500 1.1 - C 400 iNext	8-33200022	TTP Kit (Truck & Trailer procedure)	932,00
C 1000 iNext - C 500 1.1 - C 400 iNext - C 200 Series	8-33200021	AAP Kit (Animated Adjustment Procedure)	777,00
C 1000 iNext - C 500 1.1 - C 400 iNext - C 200 Series	8-33200020	AVP Kit (Audi, VW Procedure)	777,00
C2000 Néos	8-34900099	Upgrade kit for Multilink working process	749,00
C2000 Néos	8-34900098	Animations full update kit	748,00
C2000 Néos - C 880 iNEXT - C 880 iNEXT Drive	8-34900097	Vehicle adjustament by schematic slides	380,00
C2000 Néos - C 880 iNEXT	8-34900071	CM lift autotracking enabling kit for the CM camera mover with wormgear	479,00
C 880 iNEXT - C 880 - C 880 WALL - C 880 iNEXT Drive	8-34900053	Animations full update kit.	748,00
C 880 iNEXT - C 880 - C 880 WALL - C 880 iNEXT Drive	8-34100027	AVP kit (Audi e VW Procedure)	755,00
C 880 iNEXT - C 880 iNEXT Drive	8-34100048	Smart-roc feature enable mandatory for the use of clampontyre quick clamps	1.267,00





SOFTWARE UPGRADES FOR CONVENTIONAL AND CAMERA WHEEL ALIGNERS

1






Model	PN	Support type	Price €	
iCHECK 2 Go	8-35100093	Data Base update. USB Stick + USB enable key - 4	809,00	
iCHECK 3.5 TOP - iCHECK 3.5 FULL - iCHECK 3.5 FAST	8-35100071	U.S.A. databank enable kit	115,00	
iCHECK 3.5 TOP - iCHECK 3.5 FULL - iCHECK 3.5 FAST	8-35100069	Data Base update.	815,00	
C 900 - C 1000	8-33200050	Data Base update. USB Stick + USB enable key - 4	808,00	
C2000 Néos	8-34900031	US cars data bank activation kit	114,00	
C 880 iNEXT - C 880 - C 880 WALL - C 880 iNEXT Drive	8-34900029	US cars data bank activation (to renew yearly)	79,00	
C 880 iNEXT - C 880 - C 880 WALL - C 880 iNEXT Drive	8-34900023	Data Base update. USB Stick + USB enable key - 4	490,00	
C 880 iNEXT - C 880 - C 880 WALL - C 880 iNEXT Drive	8-33200058	Data Base and the CALONE TOUCH 2.0. School Street and the horse and the data	F47.00	
C 1000 iNEXT - C 500 1.1 - C 400 iNEXT - C 200 series	8-33200038	Data Base update. CAL ONE TOUCH 2.0 - Subscription for data bank yearly Update	567,00	
C 880 iNEXT - C 880 - C 880 WALL - C 880 iNEXT Drive	8-33200056	10 credits card for wheel alignment ON LINE data bank. Also suitable for all "C" series aligners no longer in production.	99,00	
C 1000 iNEXT - C 500 1.1 - C 400 iNEXT - C 200 series	0-00200000	Internet Download link: www.simpesfaip.it/infoauto	77,00	
C2000 Néos	8-34100050	Data Base update. CD-ROM + Smart card - 1	809,00	
C 700 - C 500 - C 400	V! ₈₋₃₃₂₀₀₀₆₅	Data Base update. USB Stick + USB enable key - 4	808,00	
C 200 - C 500 1.1 - C 400 1.1	6-33200065	Data base update. USb Stick + USb enable key - 4	808,00	
C 700 - C 500 - C 400	0.22200020	Data Bass and day CD DOM I Sweet and 1	909 00	
C 200 - C 500 1.1 - C 400 1.1	8-33200030	Data Base update. CD-ROM + Smart card - 1	808,00	
C 700 - C 500 - C 400	8-33200031	Data Base undete CD Sefturas undete (without new Data Bends)	87.00	
C 500 1.1, C 400 iNEXT, C 200 series	0-33200031	Data Base update. CD Software update (without new Data Bank).	87,00	
C 1000 iNEXT - C 500 1.1 - C 400 iNEXT - C 200 series	8-33100125	Data Base update. US cars data bank activation kit.	114,00	

^{*} Valid for C 1000 - C 900 - C 700 - C 500 - C 400 and C 200 only. This kit is needed also for the future yearly upgrade. In case you purchase a data bank upgrade without ordering PN 8-33100125, the list of all vehicles will be updated except the one of the cars manufactured in the US. This will remain at the state of the last upgrade (with PN 8-33100125). WARNING: If the activation kit has never been installed before, in case you purchase a data bank upgrade the list of non-American vehicles will be updated, while the list of cars manufactured in the US will be no longer visible.







		UPGRADE TO ALIGNER DATA BANK								
lmage	Code	Description	Price €	C 1000	C 2000 nèos	C880 INEXT	C 880	C 200	C 400 / C 500	
W!	8-33100205	SMART UPDATE: Update of the INTERNATIONAL database via the Infoauto internet service.	809,00	•	•			•	•	
	8-33100206	SMART UPDATE: Update of the INTERNATIONAL database via the Infoauto internet service.	490,00			•	•			
	8-33100207	SMART UPDATE: Update of the INTERNATIONAL database via the Infoauto internet service.	809,00							Ì
	8-33100208	SMART UPDATE: Update of the U.S.A. and NORTH AMERICA database via the Infoauto internet service.	114,00	•	•			•	•	
NEXION	8-33100209	SMART UPDATE : Update of the U.S.A. and NORTH AMERICA database via the Infoauto internet service.	79,00			•	•			Ī
Smart Update	8-33100219	SMART UPDATE: Update of the INTERNATIONAL + U.S.A. and NORTH AMERICA database via the Infoauto internet service.	923,00	•	•			•	•	Ī
SMART DATABANK UPDATE InfoAuto Recharge card	8-33100220	SMART UPDATE: Update of the INTERNATIONAL + U.S.A. and NORTH AMERICA database via the Infoauto internet service.	569,00			•	•			Ī
intoAuto Recharge card	8-33100217	SMART UPDATE: Activation of AUTOTRACKING.	479,00		•	•				Ī
	8-33100218	SMART UPDATE: Activation of SMART-ROC.	1.267,00			•				Γ
	8-33100211	SMART UPDATE: Activation of STATIC VISUAL AIDS.	380,00		•	•	•	•	•	ľ
	8-33100212	SMART UPDATE: Activation of ANIMATED VISUAL AIDS.	748,00		•	•	•	•	•	Ī
	8-33100213	SMART UPDATE: Activation of the MULTILINK procedure.	749,00	•	•	•	•	•	•	Ī
	8-33100214	SMART UPDATE: Activation of the ROMESS procedure.	377,00			•	•	•	•	
	8-33100215	SMART UPDATE: Activation of the TRUCKS, TRAILERS, SEMI-TRAILERS procedure.	932,00						•	






DIAGRAM OF PACKING SPECIFICATION








Model	Packing type	Dimensions (cm.) (AxBxH)	Net weight (kg)	Gross weight (kg)
C 1000 INEXT				
Complete measuring unit	Wooden case (A)	277 x 88 x 66	145	190
C 880				
Complete control unit	Wooden case (A)	298 x 25 x 42	15	40
Column	ıı	174 x 59 x 31	75	92
Other components	Wooden case (B)	107 x 107 x 78	95	120
Calibration set on trolley	ıı .	102 x 67 x 27	15	27
Radio/CCD wheel aligners				
C 500 1.1 (Main control unit)	Carton box on pallet (C)	74 x 61 x 134	65	90
C 400 iNEXT (Main control unit)	u u	74 x 61 x 134	65	90
C 200 iNEXT (Complete)	и	116 x 76x140	65	90
Radio/CCD wheel aligners - Accessories				
Completion accessories (Heads included)	Wooden case (A)	154 x 92 x 113	50	90
C 500 1.1 Measuring heads	Carton box	102 x 81 x 45	19	24







in the world







GENERAL SALE CONDITIONS


- The present export price-list, covering standard production equipment, replaces all previous ones.
- Goods are delivered FCA WAREHOUSE CORREGGIO Incoterms® 2010, ICC Paris and shipped at buyer's cost.
- Standard packing is included in the price of each product.
- When ordering please always state model, quantity, power supply (Voltage, Phases, Hz) required.
- Terms of warranty: 12 months from installation date but no longer than 18 months from the date of NEXION S.p.A. invoice.
- The warranty does not cover defects or damages due to improper installation or use of products, inadequate maintenance or uncomplete knowledge of manuals supplied with the products.
- Any return of goods must always be authorized by NEXION S.p.A. and will be accepted only free our factory, custom cleared. Freight is at sender's risk.
- NEXION S.p.A. reserves the right to change the specifications of the products at any time without prior notice or obligation.

WARNING!

For other conditions please refer to the "Distribution Agreement".







COMPANY WITH CERTIFIED QUALITY SYSTEM - ISO 9001-

NEXION SPA www.hpa-faip.it - info@hpa-faip.it











MESF000166D 11/2025 -EDIT DEPT